

# EIGHTH ANNUAL National National Conference SEPTEMBER 4-6, 2025

Red Rock Resort & Spa · Las Vegas, NV







# **Breaking Payer Barriers**

Jeff Dunn & Ed Pezalla

# Experience

#### Ed Pezalla, MD, MPH



#### Ed Pezalla, MD, MPH

- Founder and CEO, Enlightenment Bioconsult
- Payer strategy consultant for biotech and pharma
- Former VP, Pharmaceutical Policy and Strategy, Aetna
- Active in MIT Center for Biomedical Innovation NEWDIGS and FOCUS projects
- Member of the first class of Scholars-in-Residence, Duke Margolis Center for Health Policy

# Experience

#### Jeff Dunn, PharmD, MBA



#### Jeff Dunn, PharmD, MBA


- President & CEO,
   Cooperative Benefits Group
- Board Member AMCP
- Former Roles:
  - Haven
  - MagellanRx
  - VeridicusRx
  - SelectHealth



# Weight Loss Medication Management Strategies Balanced Approach. Prior Authorization. Step Therapy.

- Thoughtful & Intentional Access: Supports appropriate use of high-cost GLP-1s aligned with meaningful health outcomes
- Balanced Utilization Strategy: Ensure clinical appropriateness while managing cost and aligning with real-world utilization trends.
- Whole Health Integration: Partner-driven model includes behavior change programs and physician-supervised lifestyle plans to sustain outcomes.

#### **Review Each Request to Evaluate the Full Clinical Context**



# Case Study for Pharmacy Benefit: Linzess

Oral drug	Pharmacy Benefit
Tier	Preferred Brand (copay \$30-50)
PA	For FDA indications
Step Therapy	None

# Pharmacy PA: Linzess

- FDA-approved Indications
  - Irritable bowel syndrome with constipation (IBS-C) in adults
  - Chronic idiopathic constipation (CIC) in adults
  - Functional constipation (FC) in pediatric patients 6 to 17 years of age
- Chronic Idiopathic Constipation (CIC)
- Authorization may be granted when the requested drug is being prescribed for the treatment of chronic idiopathic constipation (CIC) in an adult patient.
- Functional Constipation (FC)
- Authorization may be granted when the requested drug is being prescribed for the treatment of functional constipation (FC) when the following criteria is met:
  - The request is for a pediatric patient 6 to 17 years of age.
- Irritable Bowel Syndrome with Constipation (IBS-C)
- Authorization may be granted when the requested drug is being prescribed for the treatment of irritable bowel syndrome with constipation (IBS-C) in an adult patient.
- Duration of Approval (DOA)
- 843-A: DOA: 12 months
- 1023-A: DOA: 36 months
- Place of Service:
- Outpatient



#### **Biosimilar Strategy**

#### Lower Costs. Less Cash Outlay. No Waiting on Rebates.

#### **Strategic Delay for Competition**

Wait for multiple biosimilars to enter the market.

Ensures meaningful price competition.

# Focus on Clinical Parity

Ensure chosen biosimilars match clinical performance.

Maintain care quality while introducing cost-saving alternatives.

# Optimize Cost Savings

Don't chase rebates or rely on PAP programs, switch to equally effective biosimilars.

Even without rebate, the overall cost is lower.

#### **Outcomes**

Ingredient cost savings are substantially more than rebate amounts.

Savings on Humira and upcoming Stelara biosimilars.

Annual Savings for Client X: \$1,160,910 on Humira claims

# Case Study for Medical Drug: Infliximab

IV drug	Medical Benefit
Tier	No tiering in medical, co-insurance 20%
PA	For FDA indications, renewal based on improvement Requires GI prescribing or consultation
Step Therapy	May use only preferred biosimilars Avsola, Inflectra, Renflexis
Site of care	Site of care policy applies, must be administered in lowest cost appropriate site of care

#### Medical PA: Infliximab Preferred Products: Avsola, Inflectra, Renflexis

- Crohn's disease (CD)
  - For treatment of moderately to severely active CD
- Continuation of therapy

For all members (including new members) who are using the requested medication for moderately to severely active Crohn's disease and who achieve or maintain remission; or

For all members (including new members) who are using the requested medication for moderately to severely active Crohn's disease and who achieve or maintain a positive clinical response as evidenced by low disease activity or improvement in signs and symptoms of the condition when there is improvement in any of the following from baseline:

[There follows a list of common symptoms and imaging findings. Any one improved will meet criteria]

- Ulcerative colitis (UC)
  - For treatment of moderately to severely active UC
- Continuation of therapy

For all members (including new members) who are using the requested medication for moderately to severely active ulcerative colitis and who achieve or maintain remission; or

For all members (including new members) who are using the requested medication for moderately to severely active ulcerative colitis and who achieve or maintain a positive clinical response as evidenced by low disease activity or improvement in signs and symptoms of the condition when there is improvement in any of the following from baseline:

[There follows a list of common symptoms and imaging findings. Any one improved will meet criteria]

#### **Contact Info**

#### **Jeff Dunn**

6770 S 900 E, Suite 202, Midvale, UT 84047 jddunn@coopbenefitsgroup.com
Mobile +1 801-557-7906

#### **Edmund Pezalla**

210 S Beach Street, Suite 202, Daytona Beach, FL 32114 edmund.pezalla@enlightenmentbioconsult.com
Mobile +1 860-218-8216